



ADMINISTRATIVE OFFICE OF THE COURTS

MARYLAND JUDICIAL CENTER
580 TAYLOR AVENUE
ANNAPOLIS, MARYLAND 21401

Pamela Harris
State Court Administrator
410-260-1295

Questions/Responses No. 2 to the Request for Proposal (RFP) K16-0011-25

Installation of Cell Phone Signal Boosters for Maryland Judiciary's Annapolis Complex

Ladies and Gentlemen:

The following questions for the above referenced RFP were received by e-mail and are answered and posted for all prospective Offerors who received the RFP. The statements and interpretations contained in the following responses to questions are not binding to the Maryland Judiciary unless the RFP is expressly amended. Nothing in the Maryland Judiciary's response to these questions is to be construed as agreement to or acceptance by the Maryland Judiciary of any statement or interpretation on the part of the Offeror asking the question.

5. Question: How many phones are in use at each location (by carrier)?

Response: The requested information is not available, however, a total number of employees by site is listed below.

BUILDING	NUMBER OF EMPLOYEES
ANNEX	112
JECC	65, (up to 300 visitors)
DC TRAFFIC PROCESSING/DC DATA ENTRY	22
DC TRANSCRIBING/SELF HELP CENTER	16
DC WAREHOUSE	30
DC CABINET SHOP	2
DC SECURITY OFFICE	3
DC ENGINEERING AND CENTRAL SERVICES	8
JIS	135
A-POD	163
COA	60 (up to 200 visitors)

6. Question: Will any of the locations require work to be done at night or on weekends? If so please specify the hours and days when the work can be done.

Response: It is not expected that work will need to be completed after hours. Work in the COA building should generally be scheduled for the third and fourth week of each month.

7. Question: Will you schedule a second site walk to include roof access?

Response: See amendment one.

Issued by: Khrystine Bunche, Procurement Officer

August 18, 2015