

Addendum No. 1 Video Surveillance and Security Card Access System Installations Project No. K22-0064-89

03/08/2022

The purpose of this addendum is to amend and clarify certain portions of the above-referenced solicitation with all prospective bidders/offerors.

Clarifications:

C1. Delete: III.D.2.c.(3).i and III.D.2.c.(3).ii

C2. Delete: III.D.2.c

Replace with: Provide and install fourteen (14), 35-bit HID card readers:

C3. Delete in its entirety: III.D.1.c.(4).

Replace with: Twenty-Five (25) security cameras:

- i. Thirteen (13) cameras to be placed in the exact existing camera locations throughout the interior and exterior of the building.
- ii. Three (3) cameras to be moved.
- iii. Nine (9) additional cameras.
- iv. Camera locations and identification key outlined on Attachment 1 Revised.
- C4. Delete: III.D.1.a.i.2

Replace with: Existing coax cable shall be replaced with Category 6 (CAT 6) plenum rated cabling.

C5. Delete: III.D.1.a.i.3

Replace with: All new installations shall use Category 6 (CAT 6) plenum rated cabling.

C6. Delete: Attachment 1

Replace with: Attachment 1 – Revised.

C7. Delete: Attachment 2

Replace with: Attachment 2 – Revised.

C8. Add: III.D.1.b.(5) Small box for release buttons/door opener buttons in Clerk's Office area.

All addenda will be incorporated into the final contract documents and will be binding on all bidders/offerors responding to this solicitation. Each bidder/offeror submitting a bid/proposal must acknowledge receipt of all addenda by completing and forwarding Attachment H (included in bid/proposal package) with the bid/proposal response; failure to acknowledge addenda may result in the bid/proposal rejection.


If you have any questions regarding this addendum, please contact me at (410) 260-1421 or email me at lauren.sands@mdcourts.gov

Procurement Officer

Lantant



Camera and NVR Locations





Card Reader Locations

