

Administrative Office of the Courts Operations Division

Amendment #1 Request for Proposals Project K20-0065-40 District Court Glen Burnie Video Surveillance System


This Amendment is being issued to amend and clarify certain information contained in the above-named RFP. All information contained herein is binding on all Offerors who respond to this RFP. Specific parts of the RFP have been amended. The following changes/additions are listed below; new language has been underlined (ex. new language deleted has been marked with a strikeout (ex. language deleted).


- 2.4.1.21 The camera count for the system should be 53 cameras as we missed 1 outdoor fixed Camera (B-113) that was in the drawings.
- 2.4.1.22 New system to operate in parallel with existing system until cutover is preferred.
- 2.4.1.23 <u>Fixed dome cameras are preferred</u>
- 2.4.1.24 PTZ cameras have no preference
- 2.4.1.25 View Stations
 - Black out all image of bathrooms in cells on recording and on screen
 - Workstations should be able to store multiple view configurations for cameras
- 2.4.1.26 Contractor is responsible for repairing any drywall or touch ups needed due to camera removal or replacement. The District Court will provide replacement ceiling tiles where needed.
- 2.4.1.27 All monitors should be a 32" in size.
- 2.4.1.28 <u>Contractor is responsible for removing cabling and wiring and equipment for 28 cameras in and around the building including the current NVR system.</u>
- 2.4.1.29 T568B terminations should be to a new vendor provided patch panel.
- 2.4.1.30 Contractor shall supply new rack(s) for all NVR equipment.
- 2.4.1.31 An Uninterruptible Power Supply (UPS) should be put in place to allow the system to run for 30 minutes.


- 2.4.1.32 <u>Security office Monitor should be wall mounted above the bailiff stations</u>
 <u>Contractor shall provide wireless keyboard and mouse for all locations</u>
- 2.4.1.33 The conduit run for the rear gate is an estimated 300ft.
- 2.4.1.34 Rear gate camera should mounted on existing gate to see driver side window entering.


Attachment I: Additional Drawings (Included)


Issued by: Sejal Lakhawala Procurement Officer January 27, 2020





















File Ma<u>.84</u> Dwg. No. <u>435</u>








ere i 84 - 343. 80.437

























File Ma<u>.84</u> Dwg. No. <u>435</u>





ere i 84 - 343. 80.437

